

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		S55 and "12	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 10:00
S1	529756	optical scanner	USPAT	OR	OFF	2005/05/27 08:53
S2	3056	mirror with (rotat\$3 same shaft)	USPAT	OR	OFF	2005/05/27 08:54
S3	1779678	feedback control	USPAT	OR	OFF	2005/05/27 08:54
S4	1233509	detected angle	USPAT	OR	OFF	2005/05/27 08:54
S5	26199	trajectory	USPAT	OR	OFF	2005/05/27 08:54
S6	625415	frequency	USPAT	OR	OFF	2005/05/27 08:55
S7	2246	S1 and S2	USPAT	OR	OFF	2005/05/25 11:08
S8	1679	S7 and S3	USPAT	OR	OFF	2005/05/25 11:08
S9	1471	S8 and S4	USPAT	OR	OFF	2005/05/25 11:09
S10	26294	traject\$4	USPAT	OR	OFF	2005/05/25 11:09
S11	49	S9 and S10	USPAT	OR	OFF	2005/05/25 11:09
S12	36	S11 and S6	USPAT	OR	OFF	2005/05/31 08:37
S13	529756	optical scanner	USPAT	OR	OFF	2005/05/25 15:59
S14	3056	mirror with (rotat\$3 same shaft)	USPAT	OR	OFF	2005/05/25 15:59
S15	1779678	feedback control	USPAT	OR	OFF	2005/05/25 15:59
S16	1233509	detected angle	USPAT	OR	OFF	2005/05/25 15:59
S17	625415	frequency	USPAT	OR	OFF	2005/05/25 15:59
S18	2246	S13 and S14	USPAT	OR	OFF	2005/05/25 15:59
S19	1679	S18 and S15	USPAT	OR	OFF	2005/05/25 15:59
S20	1471	S19 and S16	USPAT	OR	OFF	2005/05/25 15:59
S21	26294	traject\$4	USPAT	OR	OFF	2005/05/25 15:59
S22	49	S20 and S21	USPAT	OR	OFF	2005/05/25 15:59
S23	36	S22 and S17	USPAT	OR	OFF	2005/05/26 08:49
S24	529756	optical scanner	USPAT	OR	OFF	2005/05/26 08:49
S25	3056	mirror with (rotat\$3 same shaft)	USPAT	OR	OFF	2005/05/26 08:49
S26	1779678	feedback control	USPAT	OR	OFF	2005/05/26 08:49
S27	1233509	detected angle	USPAT	OR	OFF	2005/05/26 08:49
S28	625415	frequency	USPAT	OR	OFF	2005/05/26 08:49
S29	2246	S24 and S25	USPAT	OR	OFF	2005/05/26 08:49
S30	1679	S29 and S26	USPAT	OR	OFF	2005/05/26 08:49
S31	1471	S30 and S27	USPAT	OR	OFF	2005/05/26 08:49
S32	26294	traject\$4	USPAT	OR	OFF	2005/05/26 08:49
S33	49	S31 and S32	USPAT	OR	OFF	2005/05/26 08:49
S34	20	S33 and S28 and (gain or phase)	USPAT	OR	OFF	2005/05/26 08:50

S35	7	("20020163675" "3517282" "4864295" "5347124" "5469289" "6069726").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/26 13:25
S36	7	("20020163675" "3517282" "4864295" "5347124" "5469289" "6069726").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/26 14:19
S37	0	("6703603").URPN.	USPAT	OR	OFF	2005/05/26 14:28
S38	510	250/234-236	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 08:48
S39	40681	trajectory	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 08:38
S40	298926	feedback	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 08:38
S41	73	S40 and S38	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 08:40
S42	1	S41 and S39	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 08:39
S43	3056	mirror with (rotat\$3 same shaft)	USPAT	OR	OFF	2005/05/27 08:48
S44	4768	mirror with (rotat\$3 same shaft)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 08:48
S45	48	S44 and S38	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 08:50
S46	7	S45 and S40	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 08:50
S47	824802	optical scanner	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 08:53
S48	4768	mirror with (rotat\$3 same shaft)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 08:54
S49	3046298	feedback control	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 08:54
S50	2110954	detected angle	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 08:54
S51	40681	trajectory	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 08:54

S52	1007269	frequency	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 08:55
S53	491	S38 and S47	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 08:55
S54	3369	S47 and S48	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 08:56
S55	47	S53 and S48	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 08:56
S56	10	S55 and "123"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 08:56
S57	32	S55 and S49	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 08:57
S58	32	S57 and S50	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 08:57
S59	0	S58 and S51	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 08:58
S60	17	S58 and S52	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 08:58
S61	11396	(frequency with estimat\$4)	USPAT	OR	OFF	2005/05/27 09:48
S62	30317	(gain same phase)	USPAT	OR	OFF	2005/05/27 09:48
S63	1779678	feedback or control	USPAT	OR	OFF	2005/05/27 09:50
S64	27175	S63 and S62	USPAT	OR	OFF	2005/05/27 09:49
S65	1479	S64 and S61	USPAT	OR	OFF	2005/05/27 09:49
S66	78105	feedback with control	USPAT	OR	OFF	2005/05/27 09:50
S67	451	S65 and S66	USPAT	OR	OFF	2005/05/27 09:50
S68	567048	"250"	USPAT	OR	OFF	2005/05/27 09:50
S69	143	S68 and S67	USPAT	OR	OFF	2005/05/27 09:51
S70	335872	estimat\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 09:51
S71	143	S70 and S69	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 09:57
S72	510	250/234-236	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 09:57

S73	0	S72 and S61	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 09:58
S74	5	S72 and S62	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 09:58
S75	0	"250".ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 10:01
S76	510	250/234-236	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 10:02
S77	0	359/212/219,226	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 10:02
S78	0	359/212-219,226	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 10:03
S79	114866	feedback with control	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 10:04
S80	26148	gain with phase	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 10:04
S81	1667174	circuit	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 10:04
S82	2	(feedback with control) with circuit	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 10:04
S83	30881	(feedback with control) with circuit	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 10:04
S84	335872	estimat\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 10:05
S85	2377	S84 and S83	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 10:05
S86	293	S85 and S80	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 10:06
S87	293	S86 and S79	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 10:06
S88	373778	mirror	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 10:06

S89	37	S88 and S86	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 10:08
S90	734	(gain with phase) with estimat\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 10:13
S91	1228	(gain with phase) same estimat\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 10:08
S92	31	S90 and S83	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 10:10
S93	59670	"31" and S79	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 10:09
S94	52	(gain with phase) with estimat\$3 with feedback	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 10:14
S95	3	S94 and S88	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 10:13
S96	20	cancel with gain with phase with feedback	USPAT	OR	OFF	2005/05/27 16:14
S97	0	cancel adj (gain with phase) with feedback	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 16:14
S98	68	cancel adj gain	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/27 16:15
S99	5	frequency with estimat\$3 with gain with phase with feedback	USPAT	OR	OFF	2005/05/27 16:42
S10 0	530516	optical scanner	USPAT	OR	OFF	2005/05/31 08:37
S10 1	3061	mirror with (rotat\$3 same shaft)	USPAT	OR	OFF	2005/05/31 08:37
S10 2	1781373	feedback control	USPAT	OR	OFF	2005/05/31 08:37
S10 3	1234690	detected angle	USPAT	OR	OFF	2005/05/31 08:37
S10 4	626130	frequency	USPAT	OR	OFF	2005/05/31 08:37
S10 5	2250	S100 and S101	USPAT	OR	OFF	2005/05/31 08:37
S10 6	1683	S105 and S102	USPAT	OR	OFF	2005/05/31 08:37
S10 7	1475	S106 and S103	USPAT	OR	OFF	2005/05/31 09:29

S108	26328	traject\$4	USPAT	OR	OFF	2005/05/31 08:37
S109	50	S107 and S108	USPAT	OR	OFF	2005/05/31 08:37
S110	37	S109 and S104	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/31 08:37
S111	33774	(frequency same estimat\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/31 08:38
S112	2	S111 and S110	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/31 08:41
S113	2527	frequency adj estimat\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/31 08:41
S114	1409340	gain or phase	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/31 08:41
S115	2136	S113 and S114	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/31 08:42
S116	299174	feedback	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/31 08:42
S117	732	S116 and S115	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/31 08:42
S118	3011057	control	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/31 08:42
S119	665	S118 and S117	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/31 08:43
S120	825243	optic\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/31 08:43
S121	192	S119 and S120	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/31 08:43
S122	374081	mirror	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/31 08:43
S123	33	S121 and S122	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/31 08:49
S124	1961138	period\$4 or trajectory	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/31 08:50

S12 5	159	S124 and S121	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/31 08:50
S12 6	300625	periodi\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/31 08:50
S12 7	71	S121 and S126	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/31 08:50
S12 8	77218	sine	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/31 08:51
S12 9	25	S128 and S127	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/31 09:07
S13 0	1695	cancel with gain	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/31 08:51
S13 1	1	S130 and S129	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/31 08:52
S13 2	1096562	correct\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/31 09:08
S13 3	40715	trajectory	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/31 09:08
S13 4	160679	inverse	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/31 09:28
S13 5	1475	S106 and S103	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/31 09:29
S13 6	50	S135 and S108	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/31 09:30
S13 7	7261	inverse with filter	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/31 09:30
S13 8	0	S137 and S136	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/31 09:30
S13 9	160679	inverse	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/31 09:30
S14 0	7261	S139 and S137	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/31 09:31

S14 1	799785	filter	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/31 09:31
S14 2	7261	S140 and S141	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/31 09:31

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	825243	optic\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/31 09:45
S2	374081	mirror	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/31 09:45
S3	2507809	rotat\$3 shaft	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/31 09:45
S4	705936	rotat\$3 with shaft	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/31 09:46
S5	114961	feedback with control	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/31 09:46
S6	66958	detect\$3 with angle	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/31 09:46
S7	4053	target with trajectory	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/31 09:46
S8	289	cancel with gain with phase	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/31 09:47
S9	1	S1 and S2 and S4 and S5 and S6 and S7 and S8	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/31 09:48
S10	5	S1 and S2 and S4 and S5 and S6 and S7	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/31 09:48
S11	305	S1 and S2 and S4 and S5 and S6	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/31 09:48
S12	7261	inverse with filter	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/31 09:49
S13	2	S11 and S12	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/31 10:31
S14	40715	trajectory	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/31 10:31
S15	26166	gain with phase	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/31 10:31

S16	1007984	frequency	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/31 10:31
S17	487	S14 and S15 and S16	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/31 10:32
S18	575730	mirror or lens	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/31 10:32
S19	103	S17 and S18	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/31 10:51
S20	1	"6791915"	USPAT	OR	OFF	2005/05/31 13:17
S21	1	"6850812"	USPAT	OR	OFF	2005/05/31 14:02